



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/837,342	04/19/2001	Kazumitsu Watanabe	206154US-2	7693

22850 7590 12/15/2006

C. IRVIN MCCLELLAND
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.
1940 DUKE STREET
ALEXANDRIA, VA 22314

EXAMINER

DANIELS, ANTHONY J

ART UNIT PAPER NUMBER

2622

DATE MAILED: 12/15/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/837,342

Applicant(s)

WATANABE, KAZUMITSU

Examiner

Anthony J. Daniels

Art Unit

2622

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 September 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-36 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-36 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 9/25/2006 has been entered.

Response to Arguments

2. Applicant's arguments with respect to the independent claims have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-5,7,15,17,19,21,22,25,26,29,30,33 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamagishi et al. (US # 7,136,096) in view of Bender et al. (US # 6,611,629).

As to claim 1, Yamagishi et al. teaches a digital camera (Figure 1) comprising: a photographing unit (Figure 1, image sensing element "103") which picks-up an image and

Art Unit: 2622

obtains image data (Col. 19, Lines 17-20); a storage control unit (Figure 1, memory control circuit "111") which stores the image data in the form of an image data file in a predetermined manner in a recording medium (Figure 1, memory "111" and recording medium "200a"; Col. 20, Lines 1-5); a reconstruction control unit (Figure 1, memory control circuit "107") which reconstructs the image data stored in said recording medium (Col. 20, Lines 5-8); an image data processing unit which combines the image data picked-up by said photographing unit and the image data reconstructed by said reconstruction control unit to produce an image data (Col. 25, Lines 2-13; Col. 26, Lines 1-5), and makes said recording medium store the produced image data (Col. 29, Lines 29-43); a display unit which displays the images (Figure 1, image display unit "110"); a display control unit (Figure 1, memory control circuit "107") which makes said display unit simultaneously display the image data obtained by said photographing unit for monitoring and the image data reconstructed by said reconstruction control unit, or which makes said display unit display the image data produced by said image data processing unit (Figure 14B); and an operational instruction inputting unit which provides operational instruction signals to said photographing unit, said storage control unit, said image data processing unit, and said display control unit (Figure 1, operation means "122" – "128"; Col. 21, Line 22 – Col. 22, Line 14). The claim differs from Yamagishi et al. in that it further requires that said operation instruction signals include translation instructions input by a user to move a first image with respect to a second image after the first image and the second image are displayed by the display unit.

In the same field of endeavor, Bender et al. teaches a composite image generation system, wherein two images are captured by a video camera for composite (panoramic) image generation. The images are stitched together via a personal computer. On the PC, the user

Art Unit: 2622

manually moves the images with respect to each other after the images are displayed to achieve the composite image (Col. 3, Line 65 – Col. 4, Line 9; Col. 6, Lines 20-30). In light of the teaching of Bender et al., it would have been obvious to one of ordinary skill in the art to include the ability in the camera of Yamagishi et al. to move the captured images with respect to each other, because an artisan of ordinary skill in the art would recognize that this would allow the images to be properly correlated; thus obtaining a smooth panoramic image (see Bender et al., Col. 4, Lines 4-7).

Anderson et al. (6,680,749): *The examiner also submits Anderson et al. regarding the combination of Yamagishi et al. and Bender et al. Anderson et al. teaches implementation of an operating system in a digital camera. This has significant advantages in that application programs previously available in PCs can now be run on the digital camera. Such programs can be Adobe Photoshop and Quark Express (see Anderson et al., Col. 2, Lines 35-47).*

As to claim 2, Yamagishi et al., as modified by Bender et al., teaches the digital camera according to claim 1, wherein said operational instruction inputting unit can designate a portion of the plurality of the image data where the images are to be combined (see Yamagishi et al., Figure 9, Col. 24, Lines 54-61).

As to claim 3, Yamagishi et al., as modified by Bender et al., teaches the digital camera according to claim 1, wherein said operational instruction inputting unit can designate whether the image data is to be displayed in enlarged or reduced manner (see Yamagishi et al., Figure 9; {Images will be displayed smaller in 2x2 panoramas compared to panoramas in 1x2.}).

Art Unit: 2622

As to claim 4, Yamagishi et al., as modified by Bender et al., teaches the digital camera according to claim 1, wherein said operational instruction inputting unit includes a touch panel (see Yamagishi et al., Col. 21, Lines 22-27).

As to claim 5, Yamagishi et al., as modified by Bender et al., teaches the digital camera according to claim 1, wherein said image data processing unit can combine a plurality of the image data recorded in said recording medium (see Yamagishi et al., Col. 29, Lines 22-29).

As to claim 7, Yamagishi et al., as modified by Bender et al., teaches the digital camera according to claim 5, wherein said image data processing unit can perform color correction when combining a plurality of the image data stored in said recording medium (see Yamagishi et al., Col. 19, Lines 27-31).

As to claims 15, 17 and 19, the limitations of these claims can be found in claim 1. Claim 17 is a method claim corresponding to the apparatus claim 1.

As to claim 21, Yamagishi et al., as modified by Bender et al. teaches the digital camera according to claim 1, wherein the first image is the image data reconstructed by said reconstruction control unit and the second image is the image data obtained by said photographing unit for monitoring (see Yamagishi et al., Figure 14B; both images reconstructed and obtained by photographing unit).

As to claim 22, Yamagishi et al., as modified by Bender et al., teaches the digital camera according to claim 1, wherein the first image is first image data obtained by said photographing unit for monitoring and the second image is second image data obtained by said photographing unit for monitoring (see Yamagishi et al., Figure 14B; both images reconstructed and obtained by photographing unit).

Art Unit: 2622

As to claims **25** and **26**, the limitations of claims 25 and 26 can be found in claims 21 and 22, respectively. Therefore, claims 25 and 26 are analyzed and rejected as previously discussed with respect to those claims.

As to claims **29** and **30**, claims 29 and 30 are method claims corresponding to the apparatus claims 21 and 22, respectively. Therefore, they are rejected as previously discussed with respect to the apparatus claims 21 and 22, respectively.

As to claims **33** and **34**, the limitations of claims 33 and 34 can be found in claims 21 and 22, respectively. Therefore, claims 33 and 34 are analyzed and rejected as previously discussed with respect to those claims.

4. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamagishi et al. (US # 7,136,096) in view of Bender et al. (US # 6,611,629) and further in view of Miyatake et al. (US # 6,466,262).

As to claim 6, Yamagishi et al., as modified by Bender et al., teaches the digital camera according to claim 5. The claim differs from Yamagishi et al., as modified by Bender et al. in that it further requires wherein said image data processing unit can perform swing and/or tilt correction when combining a plurality of the image data stored in said recording medium.

In the same field of endeavor, Miyatake et al. teaches a digital camera for forming a panoramic image. When combining the images, an image processing unit in the camera performs tilt correction on the images (Col. 6, Lines 21-49). In light of the teaching of Miyatake et al., it would have been obvious to one of ordinary skill in the art to include the tilt correction of Miyatake et al. in the camera of Yamagishi et al., as modified by Bender et al., because an

Art Unit: 2622

artisan of ordinary skill in the art would recognize that this would allow for a smooth, natural panoramic image to be output.

5. Claims 8-14,16,18,20,23,24,27,28,31,32,35 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamagishi et al. (US # 7,136,096) in view of Bender et al. (US # 6,611,629) and further in view of Fukushima et al. (US # 5,903,303).

As to claim 8, Yamagishi et al. teaches a digital camera (Figure 1) comprising: a photographing unit (Figure 1, image sensing element "103") which picks-up an image and obtains image data (Col. 19, Lines 17-20); a storage control unit (Figure 1, memory control circuit "111") which stores the image data in the form of an image data file in a predetermined manner in a recording medium (Figure 1, memory "111" and recording medium "200a"; Col. 20, Lines 1-5); a reconstruction control unit (Figure 1, memory control circuit "107") which reconstructs the image data stored in said recording medium (Col. 20, Lines 5-8); an image data processing unit which combines the image data picked-up by said photographing unit and the image data reconstructed by said reconstruction control unit to produce an image data (Col. 25, Lines 2-13; Col. 26, Lines 1-5), and makes said recording medium store the produced image data (Col. 29, Lines 29-43); a display unit which displays the images (Figure 1, image display unit "110"); a display control unit (Figure 1, memory control circuit "107") which makes said display unit simultaneously display the image data obtained by said photographing unit for monitoring and the image data reconstructed by said reconstruction control unit, or which makes said display unit display the image data produced by said image data processing unit (Figure 14B); and an operational instruction inputting unit which provides operational instruction signals to said

Art Unit: 2622

photographing unit, said storage control unit, said image data processing unit, and said display control unit (Figure 1, operation means "122" – "128"; Col. 21, Line 22 – Col. 22, Line 14); said display control unit can make said display unit simultaneously display the plurality of image data obtained by said photographing unit (Figure 14B). The claim differs from Yamagishi et al. in that it further requires that said photographing unit includes a plurality of CCDs which simultaneously pick-up an image of same or a plurality of objects and obtain a plurality of image data, and said operation instruction signals include translation instructions input by a user to move a first image with respect to a second image after the first image and the second image are displayed by the display unit.

In the same field of endeavor, Bender et al. teaches a composite image generation system, wherein two images are captured by a video camera for composite (panoramic) image generation. The images are stitched together via a personal computer. On the PC, the user manually moves the images with respect to each other after the images are displayed to achieve the composite image (Col. 3, Line 65 – Col. 4, Line 9; Col. 6, Lines 20-30). In light of the teaching of Bender et al., it would have been obvious to one of ordinary skill in the art to include the ability in the camera of Yamagishi et al. to move the captured images with respect to each other, because an artisan of ordinary skill in the art would recognize that this would allow the images to be properly correlated; thus obtaining a smooth panoramic image (see Bender et al., Col. 4, Lines 4-7).

In the same field of endeavor, Fukushima et al. teaches a digital camera (Figure 1) including two CCD imagers (Figure 1, CCD imagers "1 OR" and "10L") with associated lenses (Figure 1, lenses "8R" and "8L") and exposure control members (Figure 1, exposure control

Art Unit: 2622

members "9R" and "9L"). The digital camera combines images together that are taken by the two CCD imagers (Col. 3, Lines 39-42). In light of the teaching of Fukushima et al., it would have been obvious to one of ordinary skill in the art to include the second image pickup portion of Fukushima et al. in the system of Yamagishi et al., as modified by Bender et al., because an artisan of ordinary skill in the art would have recognized that providing the second image pickup portion would provide a faster solution for the panorama image pickup of Yamagishi et al., as modified by Bender et al.

Anderson et al. (6,680,749): *The examiner also submits Anderson et al. regarding the combination of Yamagishi et al. and Bender et al. Anderson et al. teaches implementation of an operating system in a digital camera. This has significant advantages in that application programs previously available in PCs can now be run on the digital camera. Such programs can be Adobe Photoshop and Quark Express (see Anderson et al., Col. 2, Lines 35-47).*

As to claim 9, Yamagishi et al., as modified by Bender et al. and Fukushima et al., teaches the digital camera according to claim 8, wherein said image data processing unit can combine a plurality of image data when simultaneously displaying the plurality of the image data on said display control unit (see Yamagishi et al., Figure 14B, Bender et al., Figure 5).

As to claim 10, Yamagishi et al., as modified by Bender et al. and Fukushima et al., teaches the digital camera according to claim 8, wherein said image data processing unit can perform color correction for each of the plurality of image data (see Yamagishi et al., Col. 19, Lines 27-31).

As to claim 11, Yamagishi et al., as modified by Bender et al. and Fukushima et al., teaches the digital camera according to claim 8, wherein said photographing unit can

Art Unit: 2622

simultaneously obtain a plurality of images of the same object at different zooming ratios (see Fukushima et al., Col. 3, Lines 26,27; *{Since different drive portions are controlling zoom drive, it is inherent that the zooming ratios can differ from each other.}*).

As to claim 12, Yamagishi et al., as modified by Bender et al. and Fukushima et al., teaches the digital camera according to claim 8, wherein said photographing unit can simultaneously obtain a plurality of images of the same object at different shutter speed (see Fukushima et al., Col. 4, Lines 41-50, *{Since different drive portions are controlling the shutter, it is inherent that the shutter speeds can differ from each other.}*).

As to claim 13, Yamagishi et al., as modified by Bender et al. and Fukushima et al., teaches the digital camera according to claim 8, wherein said photographing unit can simultaneously obtain a plurality of images of the same object at different exposure values (see Fukushima et al., Col. 4, Lines 41-50, *{Since different drive portions are controlling the exposure control members, it is inherent that the exposure values can differ from each other.}*).

As to claim 14, Yamagishi et al., as modified by Bender et al. and Fukushima et al., teaches the digital camera according to claim 8, wherein said photographing unit can simultaneously obtain a plurality of images of the same object at different white balance values (see Fukushima et al., Col. 11, Lines 26-31; *{Since different drive portions are controlling the exposure control members, it is inherent that the white balance values can differ from each other.}*).

As to claims 16,18 and 20, the limitations of these claims can be found in claim 8. Claim 18 is a method claim corresponding to the apparatus claim 8.

As to claims **23**, Yamagishi et al., as modified by Bender et al. and Fukushima et al., teaches the digital camera according to claim 8, wherein the first image is the image data reconstructed by said reconstruction control unit and the second image is the image data obtained by said photographing unit for monitoring (see Yamagishi et al., Figure 14B; both images reconstructed and obtained by photographing unit).

As to claim **24**, Yamagishi et al., as modified by Bender et al. and Fukushima et al., teaches the digital camera according to claim 8, wherein the first image is first image data obtained by said photographing unit for monitoring and the second image is second image data obtained by said photographing unit for monitoring (see Yamagishi et al., Figure 14B; both images reconstructed and obtained by photographing unit).

As to claims **27** and **28**, the limitations of claims 27 and 28 can be found in claims 23 and 24, respectively. Therefore, claims 27 and 28 are analyzed and rejected as previously discussed with respect to those claims.

As to claims **31** and **32**, claims 31 and 32 are method claims corresponding to the apparatus claims 23 and 24, respectively. Therefore, they are rejected as previously discussed with respect to the apparatus claims 23 and 24, respectively.

As to claims **35** and **36**, the limitations of claims 35 and 36 can be found in claims 23 and 24, respectively. Therefore, claims 35 and 36 are analyzed and rejected as previously discussed with respect to those claims.

Conclusion

Art Unit: 2622

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony J. Daniels whose telephone number is (571) 272-7362.

The examiner can normally be reached on 8:00 A.M. - 5:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ngoc-Yen Vu can be reached on (571) 272-7320. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AD
12/11/2006


NGOC-YEN VU
SUPERVISORY PATENT EXAMINER